# EpiTect<sup>®</sup> Methyl II Signature PCR Array (22) Human Apoptosis

#### Cat. no. 335212 EAHS-121ZE

#### For DNA methylation analysis using MethylScreen<sup>™</sup> technology

The Human Apoptosis EpiTect Methyl II Signature PCR Array profiles the promoter methylation status of a panel of 22 promoters of genes involved in apoptosis, or programmed cell death. Dysregulation of apoptosis, leading to uncontrolled cell growth, is a hallmark of carcinogenesis. Hypermethylation of pro-apoptotic genes (BNIP3L) silences their expression, which can lead to tumor progression. Profiling cellular or fresh tissue genomic DNA samples with these arrays may help correlate CpG island methylation status with biological phenotypes. The results may also help provide further insights into the role dysregulated apoptosis plays in diseases such as cancer. With a simple restriction enzyme digestion and real-time PCR, research studies can analyze the promoter methylation status of 22 different apoptosis genes with this DNA methylation PCR array. The EpiTect Methyl II PCR Arrays use MethylScreen<sup>™</sup> technology provided under license from Orion Genomics, LLC. For further details, consult the *EpiTect Methyl II PCR Array Handbook*.

#### Shipping and storage

EpiTect Methyl II Signature PCR Arrays are shipped at room temperature (15–25°C), on dry ice, or on blue ice depending on the destination and accompanying products. They should be stored at –20°C. Ensure that you have the correct EpiTect Methyl II Signature PCR Array format for your instrument before starting the experiment.

Note: Open the package and store the products appropriately immediately on receipt.



Sample & Assay Technologies

### Contents

Product	Contents	Cat. no.
EpiTect Methyl II Signature PCR Array (22) Format A	2, 12, or 24 x 96-well plates, Optical Thin-Wall 8-Cap Strips; for use with the following real-time cyclers: Applied Biosystems <sup>®</sup> models 5700, 7000, 7300, 7500, 7700, 7900HT, ViiA <sup>™</sup> 7 (96-well block); Bio-Rad <sup>®</sup> models iCycler <sup>®</sup> , iQ <sup>™</sup> 5, MyiQ <sup>™</sup> , MyiQ2; Bio-Rad/MJ Research Chromo4 <sup>™</sup> ; Eppendorf <sup>®</sup> MasterCycler <sup>®</sup> ep realplex models 2, 2s, 4, 4s; Stratagene <sup>®</sup> models Mx3005P <sup>®</sup> , Mx3000P <sup>®</sup>	Varies
EpiTect Methyl II Signature PCR Array (22) Format C	2, 12, or 24 x 96-well plates, Optical Adhesive Film; for use with the following real-time cyclers: Applied Biosystems models 7500 (Fast block), 7900HT (Fast block), StepOnePlus <sup>™</sup> , ViiA 7 (Fast block)	Varies
EpiTect Methyl II Signature PCR Array (22) Format D	2, 12, or 24 x 96-well plates, Optical Thin-Wall 8-Cap Strips; for use with the following real-time cyclers: Bio-Rad CFX96 <sup>™</sup> ; Bio-Rad/MJ Research models DNA Engine Opticon <sup>®</sup> , DNA Engine Opticon 2; Stratagene Mx4000 <sup>®</sup>	Varies
EpiTect Methyl II Signature PCR Array (22) Format E	4 x 384-well plates, 384EZLoad Covers, Optical Adhesive Film; for use with the following real-time cyclers: Applied Biosystems models 7900HT (384-well block), ViiA 7 (384-well block); Bio-Rad CFX384™	Varies
EpiTect Methyl II Signature PCR Array (22) Format F	2, 12, or 24 x 96-well plates, Optical Adhesive Film; for use with the following real-time cyclers: Roche <sup>®</sup> LightCycler <sup>®</sup> 480 (96-well block)	Varies
EpiTect Methyl II Signature PCR Array (22) Format G	4 x 384-well plates, 384EZLoad Covers, Optical Adhesive Film; for use with the following real-time cyclers: Roche: LightCycler 480 (384-well block)	Varies

## Gene table

			6		
Position	Unigene	GenBank OR miRNA Accession	Gene Symbol OR miRNA ID	Description	Gene Name
A01, A02, B01, B02 E01, E02, F01, F02 I01, I02, J01, J02 M01, M02, N01, N02	Hs.728891	NM_001160	APAF1	Apoptotic peptidase activating factor 1	APAF-1, CED4, DKFZp781B1145
A03, A04, B03, B04 E03, E04, F03, F04 I03, I04, J03, J04 M03, M04, N03, N04	Hs.370254	NM_004322	BAD	BCL2-associated agonist of cell death	BBC2, BCL2L8
A05, A06, B05, B06 E05, E06, F05, F06 I05, I06, J05, J06 M05, M06, N05, N06	Hs.624291	NM_004324	BAX	BCL2-associated X protein	BCL2L4
A07, A08, B07, B08 E07, E08, F07, F08 I07, I08, J07, J08 M07, M08, N07, N08	Hs.469658	NM_006538	BCL2L11	BCL2-like 11 (apoptosis facilitator)	BAM, BIM, BIM-alpha6, BIM-beta6, BIM-beta7, BOD, BimEL, BimL
A09, A10, B09, B10 E09, E10, F09, F10 I09, I10, J09, J10 M09, M10, N09, N10	Hs.486542	NM_014739	BCLAF1	BCL2-associated transcription factor 1	BTF, KIAA0164, bK211L9.1
A11, A12, B11, B12 E11, E12, F11, F12 I11, I12, J11, J12 M11, M12, N11, N12	Hs.591054	NM_001196	BID	BH3 interacting domain death agonist	FP497, MGC15319, MGC42355
A13, A14, B13, B14 E13, E14, F13, F14 I13, I14, J13, J14 M13, M14, N13, N14	Hs.475055	NM_001197	ВІК	BCL2-interacting killer (apoptosis-inducing)	BIP1, BP4, NBK
A15, A16, B15, B16 E15, E16, F15, F16 I15, I16, J15, J16 M15, M16, N15, N16	Hs.696238	NM_001166	BIRC2	Baculoviral IAP repeat containing 2	API1, HIAP2, Hiap-2, MIHB, RNF48, c-IAP1, cIAP1
A17, A18, B17, B18 E17, E18, F17, F18 I17, I18, J17, J18 M17, M18, N17, N18	Hs.131226	NM_004331	BNIP3L	BCL2/adenovirus E1B 19kDa interacting protein 3-like	BNIP3a, NIX
A19, A20, B19, B20 E19, E20, F19, F20 I19, I20, J19, J20 M19, M20, N19, N20	Hs.141125	NM_004346	CASP3	Caspase 3, apoptosis-related cysteine peptidase	CPP32, CPP32B, SCA-1
A21, A22, B21, B22 E21, E22, F21, F22 I21, I22, J21, J22 M21, M22, N21, N22	Hs.329502	NM_001229	CASP9	Caspase 9, apoptosis-related cysteine peptidase	APAF-3, APAF3, CASPASE-9c, ICE-LAP6, MCH6
A23, A24, B23, B24 E23, E24, F23, F24 I23, I24, J23, J24 M23, M24, N23, N24	Hs.642693	NM_014430	CIDEB	Cell death-inducing DFFA-like effector b	
C01, C02, D01, D02 G01, G02, H01, H02 K01, K02, L01, L02 O01, O02, P01, P02	Hs.38533	NM_003805	CRADD	CASP2 and RIPK1 domain containing adaptor with death domain	MGC9163, RAIDD
C03, C04, D03, D04 G03, G04, H03, H04 K03, K04, L03, L04 O03, O04, P03, P04	Hs.380277	NM_004938	DAPK1	Death-associated protein kinase 1	DAPK, DKFZp7811035
C05, C06, D05, D06 G05, G06, H05, H06 K05, K06, L05, L06 O05, O06, P05, P06	Hs.484782	NM_004401	DFFA	DNA fragmentation factor, 45kDa, alpha polypeptide	DFF-45, DFF1, ICAD
C07, C08, D07, D08 G07, G08, H07, H08 K07, K08, L07, L08 O07, O08, P07, P08	Hs.86131	NM_003824	FADD	Fas (TNFRSF6)-associated via death domain	MGC8528, MORT1

Position	Unigene	GenBank OR miRNA Accession	Gene Symbol OR miRNA ID	Description	Gene Name
C09, C10, D09, D10 G09, G10, H09, H10 K09, K10, L09, L10 O09, O10, P09, P10	Hs.80409	NM_001924	GADD45A	Growth arrest and DNA-damage-inducible, alpha	DDIT1, GADD45
C11, C12, D11, D12 G11, G12, H11, H12 K11, K12, L11, L12 O11, O12, P11, P12	Hs.87247	NM_003806	HRK	Harakiri, BCL2 interacting protein (contains only BH3 domain)	DP5, HARAKIRI
C13, C14, D13, D14 G13, G14, H13, H14 K13, K14, L13, L14 O13, O14, P13, P14	Hs.1116	NM_002342	LTBR	Lymphotoxin beta receptor (TNFR superfamily, member 3)	CD18, D12S370, LT-BETA-R, TNF-R-III, TNFCR, TNFR-RP, TNFR2-RP, TNFRSF3
C15, C16, D15, D16 G15, G16, H15, H16 K15, K16, L15, L16 O15, O16, P15, P16	Hs.443577	NM_014452	TNFRSF21	Tumor necrosis factor receptor superfamily, member 21	BM-018, DR6, MGC31965
C17, C18, D17, D18 G17, G18, H17, H18 K17, K18, L17, L18 O17, O18, P17, P18	Hs.462529	NM_003790	TNFRSF25	Tumor necrosis factor receptor superfamily, member 25	APO-3, DDR3, DR3, LARD, TNFRSF12, TR3, TRAMP, WSL-1, WSL-LR
C19, C20, D19, D20 G19, G20, H19, H20 K19, K20, L19, L20 O19, O20, P19, P20	Hs.654481	NM_000546	TP53	Tumor protein p53	FLJ92943, LFS1, P53, TRP53
C21, C22, D21, D22 G21, G22, H21, H22 K21, K22, L21, L22 O21, O22, P21, P22	N/A	SA_00148	EP_SEC	SEC-sensitive enzyme control assay	SEC
C23, C24, D23, D24 G23, G24, H23, H24 K23, K24, L23, L24 O23, O24, P23, P24	N/A	SA_00149	EP_DEC	DEC-dependent enzyme control assay	DEC

# **Related products**

Product	Contents	Cat. no.
EpiTect Methyl II DNA Restriction Kit (12)	Reagents for the cleavage of methylated and unmethylated DNA for processing up to 12 DNA samples; 5x Restriction Digestion Buffer, Methylation-sensitive Enzyme A, Methylation-dependent Enzyme B	335452
RT <sup>2</sup> SYBR <sup>®</sup> Green qPCR Mastermixes(2)*	For 2 x 96 assays in 96-well plates; suitable for use with real-time cyclers that do not require a reference dye, including: Bio-Rad models CFX96, CFX384; Bio-Rad/MJ Research models Chromo4, DNA Engine Opticon 2; Roche LightCycler 480 (96-well and 384-well); all other cyclers	330500
RT² SYBR Green ROX™ qPCR Mastermixes(2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Applied Biosystems models 5700, 7000, 7300, 7500 [Standard and Fast], 7700, 7900HT 96-well block [Standard and Fast] and 384-well block, StepOnePlus; Eppendorf Mastercycler ep realplex models 2, 2S, 4, 4S; Stratagene models Mx3000P, Mx3005P, Mx4000	330520
RT <sup>2</sup> SYBR Green Fluor qPCR Mastermixes(2) <sup>*</sup>	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Bio-Rad models iCycler, iQ5, MyiQ, MyiQ2	330510
Accessories		
EpiTect Methyl II Custom PCR Array	For methylation analysis of customer-selected genes in a 96-well or 384-well plate format	335112
EpiTect Methyl II Complete PCR Array (94)	For methylation analysis of 94 genes in a 96-well or 384-well plate format	335222
EpiTect Methyl II PCR Assay (200)	Laboratory-tested forward and reverse primers for 200 x 25 $\mu$ l reactions; 25 $\mu$ l per primer; total volume: 200 $\mu$ l	335002
RT <sup>2</sup> PCR Array Loading Reservoir	12 x 5 ml capacity, irradiation sterilized reservoirs for convenient sample loading on PCR arrays	338162

\* Larger kit sizes available; please inquire.

EpiTect Methyl II Signature PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

QIAGEN reserves the right to occasionally redesign individual assays on the EpiTect Methyl II PCR Arrays for improved performance. This revision history can be obtained by contacting technical support and providing the batch numbers from your arrays.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at <u>www.qiagen.</u> <u>com</u> or can be requested from QIAGEN Technical Services or your local distributor.

Purchaser agrees that use of this product and data therefrom is limited solely to the purchaser and for only the purchaser's own internal molecular biology research applications ("Permitted Use"), and shall not be re-sold or used for any other purposes (all of which are expressly prohibited), including without limitation diagnostic purposes, uses that could require regulatory approval for diagnostics from an agency of any government or regulatory entity anywhere in the world, diagnosis, prevention, or treatment of disease, and the right to perform commercial services of any kind, including without limitation, reporting the results of purchaser's activities, including without limitation, for a fee or other commercial consideration. Except for the Permitted Use, no rights, titles, or interests in or to any tangible or intangible property rights are conveyed or shall be deemed conveyed by implication, estoppel or otherwise. The performance characteristics of the product other than for the Permitted Use are unknown.

Trademarks: QIAGEN<sup>®</sup>, EpiTect<sup>®</sup> (QIAGEN Group); MethylScreen <sup>™</sup> (Orion Genomics, LLC); Roche<sup>®</sup>, LightCycler<sup>®</sup> (Roche Group); Applied Biosystems<sup>®</sup>, ViiA<sup>™</sup>, StepOnePlus<sup>™</sup> (Applera Corporation or its subsidiaries); Eppendorf<sup>®</sup>, Mastercycler<sup>®</sup> (Eppendorf AG); Stratagene®, Mx3005P®, Mx3000P®, Mx4000® (Stratagene); Bio-Rad®, iCycler®, Chromo4™, CFX96™, DNA Engine Opticon®, CFX384<sup>™</sup>, iQ<sup>™</sup>, MyiQ<sup>™</sup> (Bio-Rad Laboratories, Inc.); SYBR<sup>®</sup> (Molecular Probes, Inc.).

Purchaser agrees that use of this product and data therefrom is limited solely to the purchaser and for only the purchaser's own internal molecular biology research applications ("Permitted Use"), and shall not be re-sold or used for any other purposes (all of which are expressly prohibited), including without limitation diagnostic purposes, uses that could require regulatory approval for diagnostics from an agency of any government or regulatory entity anywhere in the world, diagnosis, prevention, or treatment of disease, and the right to perform commercial services of any kind, including without limitation, reporting the results of purchaser's activities, including without limitation, for a fee or other commercial consideration. Except for the Permitted Use, no rights, titles, or interests in or to any tangible or intangible property rights are conveyed or shall be deemed conveyed by implication, estoppel or otherwise. The performance characteristics of the product other than for the Permitted Use are unknown.

1070931 02/2012 © 2012 QIAGEN, all rights reserved.

**Canada =** 800-572-9613 www.aiaaen.com China = 8621-3865-3865 **Denmark •** 80-885945 Australia • 1-800-243-800 Finland • 0800-914416 Austria = 0800/281010 France = 01-60-920-930 Belgium = 0800-79612 Germany = 02103-29-12000 Brazil = 0800-557779 Hong Kong = 800 933 965

Ireland = 1800 555 049 Italy = 800-787980 Japan = 03-6890-7300 Koreg (South) = 080-000-7145 Luxembourg = 8002 2076 Mexico = 01-800-7742-436 The Netherlands = 0800 0229592 USA = 800-426-8157

Norway = 800-18859 Singapore = 1800-742-4368 **Spain** = 91-630-7050 Sweden = 020-790282 Switzerland • 055-254-22-11 UK • 01293-422-911



Sample & Assay Technologies