

RT² Profiler PCR Array (96-Well Format and 384-Well [4 x 96] Format)

Rhesus Macaque Toll-Like Receptor Signaling Pathway

Cat. no. 330231 PAQQ-018ZA

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format A	Applied Biosystems® models 5700, 7000, 7300, 7500, 7700, 7900HT, ViiA™ 7 (96-well block); Bio-Rad® models iCycler®, iQ™ 5, MyiQ™, MyiQ2; Bio-Rad/MJ Research Chromo4™; Eppendorf® Mastercycler® ep realplex models 2, 2s, 4, 4s; Stratagene® models Mx3005P®, Mx3000P®; Takara TP-800
RT ² Profiler PCR Array, Format C	Applied Biosystems models 7500 (Fast block), 7900HT (Fast block), StepOnePlus™, ViiA 7 (Fast block)
RT ² Profiler PCR Array, Format D	Bio-Rad CFX96™; Bio-Rad/MJ Research models DNA Engine Opticon®, DNA Engine Opticon 2; Stratagene Mx4000®
RT ² Profiler PCR Array, Format E	Applied Biosystems models 7900HT (384-well block), ViiA 7 (384-well block); Bio-Rad CFX384™
RT ² Profiler PCR Array, Format F	Roche® LightCycler® 480 (96-well block)
RT ² Profiler PCR Array, Format G	Roche LightCycler 480 (384-well block)
RT ² Profiler PCR Array, Format H	Fluidigm® BioMark™



Sample & Assay Technologies

Description

The Rhesus Macaque Toll-Like Receptor (TLR) Signaling Pathway RT² Profiler PCR Array profiles the expression of 84 genes central to TLR-mediated signal transduction and innate immunity. The TLR family of pattern recognition receptors (PRRs) detects a wide range of bacteria, viruses, fungi and parasites via pathogen-associated molecular patterns (PAMPs). Each receptor binds to specific ligands, initiates a tailored innate immune response to the specific class of pathogen, and activates the adaptive immune response. For example, TLR4 recognizes bacterial lipopolysaccharide (LPS) or endotoxin, the compound which causes septic shock during blood-borne infection. The receptors act alone or as heterodimers, interacting with adaptor proteins to initiate MyD88 or TICAM1 (TRIF)-dependent responses. These responses initiate signaling cascades primarily through NFκB, which activates downstream JNK/p38 signaling or cytokine secretion. Dysregulation of these signaling pathways has severe consequences, and causes many autoimmune diseases and chronic pathological inflammation. This array includes members of the TLR signaling family as well as adaptor and effector proteins. Members of the NFκB, JNK/p38, IRF and JAK/STAT signaling pathways downstream of TLR activation are also included. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of genes related to TLR-mediated signal transduction with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in formats A, C, D, E, F, and G are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products. RT² Profiler PCR Arrays in format H are shipped on dry ice or blue ice packs.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.

Array layout (96-well)

For 384-well 4 x 96 PCR arrays, genes are present in a staggered format. Refer to the *R²* Profiler PCR Array Handbook for layout.

	1	2	3	4	5	6	7	8	9	10	11	12
A	CASP8	CCL2	CD14	CD86	CHUK	CLEC4E	CSF2	CSF3	EIF2AK2	FOS	GPC1	HRAS
B	HSPA1B	IFNB1	IFNG	IKBKB	IL10	IL12B	IL1A	IL1B	IL2	IL6	IL8	IRAK2
C	IRAK3	IRAK4	IRF1	IRF3	IRF7	LOC708606	LOC714805	LOC716452	LOC716907	LOC718480	LTA	LY86
D	LY96	MAL	MAP2K3	MAP2K4	MAP3K14	MAP3K7	MAP4K4	MAPK10	MAPK12	MAPK8	MAPK8IP3	MYD88
E	NFKB1	NFKB2	NFKBIA	NFKBIB	NFKBIE	NFRKB	PEL1	PEL2	PGLYRP2	PGLYRP3	PPARA	PRKRA
F	PTGS2	REL	RELA	RELB	RIPK2	SARM1	TAB2	TBK1	TICAM1	TICAM2	TIRAP	TLR1
G	TLR10	TLR2	TLR3	TLR4	TLR5	TLR6	TLR7	TLR8	TLR9	TNF	TNFRSF1A	TOLLIP
H	ACTB	B2M	GAPDH	LOC709186	RPL13A	QGDC	RTC	RTC	RTC	PPC	PPC	PPC

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	N/A	XM_001091080	CASP8	Caspase 8, apoptosis-related cysteine peptidase
A02	Mmu.3491	NM_001032821	CCL2	Chemokine (C-C motif) ligand 2
A03	Mmu.11968	NM_001130433	CD14	CD14 molecule
A04	Mmu.3580	NM_001042644	CD86	CD86 molecule
A05	Mmu.16157	XM_001107171	CHUK	Conserved helix-loop-helix ubiquitous kinase
A06	N/A	XM_001118423	CLEC4E	C-type lectin domain family 4, member E
A07	Mmu.3665	NM_001032949	CSF2	Colony stimulating factor 2 (granulocyte-macrophage)
A08	Mmu.15567	XM_001095097	CSF3	Colony stimulating factor 3 (granulocyte)
A09	Mmu.17173	NM_001083948	EIF2AK2	Eukaryotic translation initiation factor 2-alpha kinase 2
A10	Mmu.1563	NM_001098399	FOS	FBJ murine osteosarcoma viral oncogene homolog
A11	Mmu.15889	XM_001089255	GPC1	Glypican 1
A12	N/A	XM_001085804	HRAS	V-Ha-ras Harvey rat sarcoma viral oncogene homolog
B01	Mmu.4930	XM_001115060	HSPA1B	Heat shock 70kDa protein 1B
B02	Mmu.15664	NM_001135795	IFNB1	Interferon, beta 1, fibroblast
B03	Mmu.3373	NM_001032905	IFNG	Interferon-gamma
B04	Mmu.11069	XM_001096913	IKBKB	Inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase beta
B05	Mmu.3374	NM_001044727	IL10	Interleukin 10
B06	Mmu.3413	NM_001044725	IL12B	Interleukin 12B (natural killer cell stimulatory factor 2, cytotoxic lymphocyte maturation factor 2, p40)
B07	Mmu.3361	NM_001042757	IL1A	Interleukin 1, alpha
B08	Mmu.648	NM_001042756	IL1B	Interleukin 1, beta
B09	Mmu.3415	NM_001047130	IL2	Interleukin 2
B10	Mmu.3376	NM_001042733	IL6	Interleukin 6 (interferon, beta 2)
B11	Mmu.3363	NM_001032965	IL8	Interleukin 8
B12	Mmu.13250	XM_001090790	IRAK2	Interleukin-1 receptor-associated kinase 2
C01	N/A	XM_001117080	IRAK3	Interleukin-1 receptor-associated kinase 3
C02	N/A	NM_001136101	IRAK4	Interleukin-1 receptor-associated kinase 4
C03	Mmu.11578	XM_001104294	IRF1	Interferon regulatory factor 1
C04	Mmu.925	NM_001135797	IRF3	Interferon regulatory factor 3
C05	Mmu.11935	NM_001136100	IRF7	Interferon regulatory factor 7
C06	N/A	XM_001100468	LOC708606	Protein FADD-like
C07	Mmu.15440	XM_001106441	LOC714805	Evolutionarily conserved signaling intermediate in Toll pathway, mitochondrial-like
C08	Mmu.18417	XM_001114665	LOC716452	Transcription factor AP-1-like
C09	Mmu.13554	NM_001135796	LOC716907	TNF receptor-associated factor 6
C10	N/A	XM_001103121	LOC718480	Peptidoglycan recognition protein 1-like
C11	Mmu.10857	NM_001047148	LTA	Lymphotoxin alpha (TNF superfamily, member 1)
C12	N/A	XM_001096895	LY86	Lymphocyte antigen 86
D01	Mmu.17492	NM_001130432	LY96	Lymphocyte antigen 96
D02	N/A	XM_001095645	MAL	Mal, T-cell differentiation protein
D03	Mmu.11337	XM_001104024	MAP2K3	Mitogen-activated protein kinase kinase 3
D04	Mmu.787	XM_001114330	MAP2K4	Mitogen-activated protein kinase kinase 4
D05	Mmu.14411	XM_001115548	MAP3K14	Mitogen-activated protein kinase kinase kinase 14
D06	Mmu.14771	XM_001099849	MAP3K7	Mitogen-activated protein kinase kinase kinase 7
D07	Mmu.13214	XM_001107420	MAP4K4	Mitogen-activated protein kinase kinase kinase kinase 4

Position	UniGene	GenBank	Symbol	Description
D08	Mmu.11175	XM_001094663	MAPK10	Mitogen-activated protein kinase 10
D09	N/A	XM_001112462	MAPK12	Mitogen-activated protein kinase 12
D10	Mmu.3822	XM_001108815	MAPK8	Mitogen-activated protein kinase 8
D11	N/A	XM_001090098	MAPK8IP3	Mitogen-activated protein kinase 8 interacting protein 3
D12	Mmu.17494	NM_001130681	MYD88	Myeloid differentiation primary response gene (88)
E01	Mmu.12391	XM_001109277	NFKB1	Nuclear factor of kappa light polypeptide gene enhancer in B-cells 1
E02	Mmu.12443	XM_001104566	NFKB2	Nuclear factor of kappa light polypeptide gene enhancer in B-cells 2 (p49/p100)
E03	Mmu.12474	XM_001087842	NFKBIA	Nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, alpha
E04	Mmu.15417	XM_001085582	NFKBIB	Nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, beta
E05	N/A	XM_002808387	NFKBIE	NF-kappa-B inhibitor epsilon-like
E06	N/A	XM_001111867	NFRKB	Nuclear factor related to kappaB binding protein
E07	Mmu.12193	XM_001085049	PEL1	Pellino homolog 1 (Drosophila)
E08	Mmu.13277	XM_001087641	PEL12	Pellino homolog 2 (Drosophila)
E09	Mmu.11939	XM_001111934	PGLYRP2	Peptidoglycan recognition protein 2
E10	N/A	XM_001110279	PGLYRP3	Peptidoglycan recognition protein 3
E11	Mmu.4695	NM_001033029	PPARA	Peroxisome proliferator-activated receptor alpha
E12	N/A	XM_001098685	PRKRA	Protein kinase, interferon-inducible double stranded RNA dependent activator
F01	N/A	XM_001107538	PTGS2	Prostaglandin-endoperoxide synthase 2 (prostaglandin G/H synthase and cyclooxygenase)
F02	N/A	XM_001115312	REL	V-rel reticuloendotheliosis viral oncogene homolog (avian)
F03	Mmu.12145	XM_001113258	RELA	V-rel reticuloendotheliosis viral oncogene homolog A (avian)
F04	Mmu.2221	XM_001104559	RELB	V-rel reticuloendotheliosis viral oncogene homolog B
F05	Mmu.16218	XM_001084687	RIPK2	Receptor-interacting serine-threonine kinase 2
F06	N/A	XM_001106275	SARM1	Sterile alpha and TIR motif containing 1
F07	Mmu.12989	XM_001084664	TAB2	TGF-beta activated kinase 1/MAP3K7 binding protein 2
F08	Mmu.13050	XM_001116924	TBK1	TANK-binding kinase 1
F09	Mmu.3854	NM_001130428	TICAM1	Toll-like receptor adaptor molecule 1
F10	Mmu.1118	XM_002804482	TICAM2	Toll-like receptor adaptor molecule 2
F11	Mmu.17493	NM_001130435	TIRAP	Toll-interleukin 1 receptor (TIR) domain containing adaptor protein
F12	Mmu.4217	NM_001130424	TLR1	Toll-like receptor 1
G01	Mmu.13239	NM_001130434	TLR10	Toll-like receptor 10
G02	Mmu.3812	NM_001130425	TLR2	Toll-like receptor 2
G03	Mmu.3813	NM_001036685	TLR3	Toll-like receptor 3
G04	Mmu.3814	NM_001037092	TLR4	Toll-like receptor 4
G05	Mmu.3815	NM_001130429	TLR5	Toll-like receptor 5
G06	Mmu.3816	NM_001130430	TLR6	Toll-like receptor 6
G07	Mmu.3817	NM_001130426	TLR7	Toll-like receptor 7
G08	Mmu.3818	NM_001130427	TLR8	Toll-like receptor 8
G09	Mmu.3819	NM_001130431	TLR9	Toll-like receptor 9
G10	Mmu.3364	NM_001047149	TNF	Tumor necrosis factor
G11	Mmu.12049	XM_001118232	TNFRSF1A	Tumor necrosis factor receptor superfamily, member 1A
G12	N/A	XM_001090075	TOLLIP	Toll interacting protein
H01	Mmu.4974	NM_001033084	ACTB	Actin, beta
H02	Mmu.5037	NM_001047137	B2M	Beta-2-microglobulin
H03	Mmu.3145	XM_001105471	GAPDH	Glyceraldehyde-3-phosphate dehydrogenase
H04	Mmu.12316	XM_001097691	LOC709186	Hypoxanthine-guanine phosphoribosyltransferase-like
H05	Mmu.2512	XM_001115079	RPL13A	Ribosomal protein L13A
H06	N/A	SA_00125	QGDC	Rhesus Macaque Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with real-time cyclers that do not require a reference dye, including: Bio-Rad models CFX96, CFX384, DNA Engine Opticon 2; Bio-Rad/MJ Research Chromo4; Roche LightCycler 480 (96-well and 384-well); all other cyclers	330500
RT ² SYBR Green ROX [™] qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Applied Biosystems models 5700, 7000, 7300, 7500 [Standard and FAST], 7700, 7900HT 96-well block [Standard and FAST] and 384-well block, StepOnePlus; Eppendorf Mastercycler ep realplex models 2, 2S, 4, 4S; Stratagene models Mx3000P, Mx3005P, Mx4000; Takara TP-800	330520
RT ² SYBR Green Fluor qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Bio-Rad models iCycler, iQ5, MyiQ, MyiQ2	330510

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN® (QIAGEN Group); Applied Biosystems®, ViiA™, StepOnePlus™, ROX™ (Applied Biosystems Corporation or its subsidiaries); Bio-Rad®, iCycler®, iQ™, MyiQ™, Chromo4™, CFX96™, DNA Engine Opticon®, CFX384™ (Bio-Rad Laboratories, Inc.); Stratagene®, Mx3005P®, Mx3000P®, Mx4000® (Stratagene); Eppendorf®, Mastercycler® (Eppendorf AG); Roche®, LightCycler® (Roche Group); Fluidigm® BioMark™ (Fluidigm Corporation); SYBR® (Molecular Probes, Inc.).

1066029 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Canada ■ 800-572-9613

China ■ 8621-3865-3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800-787980

Japan ■ 03-6890-7300

Korea (South) ■ 080-000-7145

Luxembourg ■ 8002 2076

Mexico ■ 01-800-7742-436

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 1800-742-4368

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Brazil ■ 0800-557779



Sample & Assay Technologies